Perry L. Kamel, M.D. 259 East Erie Street, Suite 1600 Chicago, Illinois 60611 Fax: 312.573.9636 312.573.9626

SUPREP COLONOSCOPY INSTRUCTIONS

APPOINTMENT DATE:	APPROXIMATE START TIME:	

Location and Check-In:

The GI lab is located at 259 E. Erie, Suite 1600, Chicago, IL 60611, Lavin Pavilion. Take the elevators to the 16th floor. Check in for your procedure at least 1 hour before your approximate start time. Expect to stay in the GI lab for at least three hours.

Parking:

Northwestern Memorial's main parking structure is located at the Huron/Saint Clair parking garage, 222 East Huron Street (Parking Garage A). Additional parking is available at 259 East Erie Street, Lavin Pavilion (Parking Garage C) and can be accessed via Ontario Street and 321 East Erie Street (Erie/Ontario Parking Garage D). **Be sure to bring your parking ticket with you to be validated.**

Colonoscopy:

Colonoscopy is an examination that enables Dr. Kamel to view the lining of the rectum and colon. A colonoscope is a thin flexible tube with a tiny video camera on the end. Complications with colonoscopy are very uncommon. One possible complication of polyp removal is severe bleeding. A tear in the lining of the colon may occur. Both of these complications may require hospitalization and, possibly, surgery. Please discuss possible complications with Dr. Kamel.

Preparing for Colonoscopy:

Inform Dr. Kamel if you have an ICD (implantable cardioverter defibrillator) and if you are on any of the following medications: blood thinners (i.e. Coumadin (warfarin), Plavix, Pradaxa, Xarelto, Eliquis, Savaysa, Bevyxxa, Lixiana), insulin or oral diabetes medications approximately one week prior to your scheduled procedure. The dosage of these medications will need to be adjusted or discontinued. Your other medications can be continued. On the day of your colonoscopy, take all of your routine medications with sips of water. Tylenol or acetaminophen is perfectly safe to take prior to your colonoscopy.

<u>Complete the GI Lab Patient Questionnaire and GI Laboratory At-Home Medications List forms</u> and bring them with you to the GI Lab on the day of your colonoscopy.

Diet: Seven days prior to your colonoscopy, stop eating all seeds, nuts and corn.

<u>Clear Liquid Diet</u>: The following diet should be taken for the entire day before--not just 24 hours prior to your exam--and continued up to 2 hours prior to your colonoscopy: water, coffee/tea (a small amount of cream or milk is allowed), soft drinks, clear fruit juices (such as white cranberry juice, white grape juice, apple and lemonade), Jello® (with no solid fruit in it, popsicles, broth or bouillon. No red or purple.

<u>DO NOT EAT OR DRINK ANYTHING DURING THE 2 HOURS PRIOR TO YOUR</u> <u>COLONOSCOPY.</u>

Taking the Suprep Solution Starting Day Before Colonoscopy:

• Complete Steps 1-4 using (1) 6-ounce bottle solution starting in the late afternoon.

Perry L. Kamel, M.D. 259 East Erie Street, Suite 1600 Chicago, Illinois 60611 Fax: 312.573.9636

312.573.9626

The Suprep solution will cause diarrhea for at least 3 to 4 hours.
You may continue drinking clear liquids until you go to bed.

NOTE: Dilute the solution concentrate as directed prior to use STEP EP **IMPORTANT** Add cool drinking water to Drink ALL the liquid in You must drink two (2) Pour ONE (1) 6-ounce bottle of SUPREP liquid into the 16-ounce line on the the container. more 16-ounce containers the mixing container. container and mix. of water over the next 1 hour.

Day of the Colonoscopy:

Repeat and Complete Steps 1-4 using (1) 6-ounces bottle of solution starting <u>4 Hours</u> before you leave your home to go to Northwestern Memorial Hospital.

Be sure to complete ALL 4 Steps on this dose.

Once you are finished with the 2nd dose of the prep, NOTHING BY MOUTH during the 2 hours prior to the procedure.

If you cannot tolerate the Suprep Solution, or if you are not passing clear yellow liquid after completing the Suprep Solution, call Dr. Kamel's office at 312.573.2457, or his answering service after hours at 312.649.2952, to speak to Dr. Kamel.

During Colonoscopy:

Dr. Kamel will explain the examination and answer any questions you may have. You will be given pain and sedative medications through an IV to keep you comfortable. The colonoscope will be inserted into your rectum and gently advanced through the colon. The colonoscopy procedure usually lasts 30 minutes and is well tolerated. Any discomfort that takes place usually comes as a bloating feeling when the physician adds air into the colon to expand the folds of the colonic tissue for easier viewing, or a cramping feeling when the colonoscope is advanced around the curves of the large intestine.

After the Colonoscopy:

You will be monitored after the procedure in the recovery area for a minimum of 1 hour. Dr. Kamel will discuss your test results with you. Biopsy results take several days to return, and Dr. Kamel will discuss them with you by telephone.

Perry L. Kamel, M.D. 259 East Erie Street, Suite 1600 Chicago, Illinois 60611 Fax: 312.573.9636

312.573.9626

IMPORTANT INFORMATION FROM NORTHWESTERN HOSPITAL

Please plan to be in our department for 3 to 3-1/2 hours starting at your arrival time (not procedure time). For your own safety post-sedation, you will need a ride home from a responsible adult. Please make transportation arrangements for a responsible adult to pick you up and accompany you back to your home once discharged. You cannot take a Taxi, Rideshare (Uber, Lyft, etc.) or public transportation by yourself. Your procedure will be canceled if we cannot get in contact with your ride during admitting processes. Please be sure your ride is prepared to answer our phone call. Your ride will receive an additional call 1 hour prior to your estimated discharge time. Please ensure your ride anticipates receiving this call around 2 to 2-1/2 hours after arrival time. Your ride must present to our department to pick you up. Our staff is not able to escort you to the lobby or parking garage to meet ride.

If your home is within the set service area, and you do not have an adult to accompany you home, you can arrange a ride home with **Illinois Medi Car through Superior Ambulance Company** by calling **312.926.5988.** (Contact them for pricing.) Payment will be required at the time of service. Hours of Operation are Monday through Friday 7 a.m. to 10 p.m. Arrangements should be made as soon as possible before the day of your procedure to assure that a Medi Car is available on the day of your procedure. At times, Illinois Medi Car will take two patients home at the same time with the same Medi Car, however this does not happen frequently.

Service Area:

North--5600 Bryn Mawr Avenue

West--2400 Western Avenue

South--47th Street

If you have made Illinois Medi Car arrangements for your discharge home, please inform the GI Lab staff on the day of your procedure.

You may do light activity for the remainder of the day. It is important for you to recognize signs and symptoms that should be reported to your physician, which are: severe abdominal pain, fever (above 100.5°), chills or severe rectal bleeding. Some scant bleeding may occur. Please be aware you will receive written discharge instructions before leaving the GI Lab.

You can speak to Dr. Kamel if you have any questions or concerns after returning home, either at the office 312.573.2457, or after hours at 312.649.2952.

Info Regarding Canceling Your Appointment:

Please be advised that if you cancel your procedure through the NM MyChart App, please contact the office as well that you canceled your procedure, otherwise we will not be aware of it. You can contact our office by calling (312)573-9626, or by e-mail: pkamelmdoffice@ameritech.net, or through our Patient Portal.



GI LAB PATIENT QUESTIONNAIRE

Refer to Reminder below before completing this form. Thank you for choosing Northwestern Memorial Hospital for your GI Lab procedure. <u>Please fill out this form and bring it with you the day of the procedure.</u> Please answer each question. This allows us to provide you with the best possible care. (**Please print**)

Patient Name	Date of Birth	Date of Procedure				
Name of Primary Care Physician	Fax Number					
Address	Phone Number					
Procedure and Related Information: * Procedure	normally requires sedation	on				
☐ Flexible Sigmoidoscopy	☐ ERCP*					
☐ Colonoscopy*	☐ Liver Biopsy*					
Upper Endoscopy (EGD)*	☐ Esophageai/Rectal/Small Bowel Manometry					
☐ Endoscopic Ultrasound/Fine Needle Aspiration*	24-hour Ambulatory pH Study					
Other						
Reason for visit?						
Please list the date of your last colonoscopy	(Mon	th) (Year)				
Please list the date of your last upper endoscopy (EGD) $_$						
When was the last time you ate solid food? Date		Time				
When was the last time you drank liquid? Date		Time				
If your test required a bowel preparation, what preparation	on did you take?					
Did you complete the preparation? ☐ Yes ☐ No-how	v much did you complete? _					
On the day of your procedure, will you have any of the following Glasses, Hearing Aide, Walker, Cane, Wheelchair, Pros	- ·					
Family/Friends/Transportation:						
Who will be waiting for you during the procedure and/or	taking you home afterward:	s?				
Name	Relationsh	nip				
Daytime contact number(s)						
Verified by Admitting Nurse	Date	Time				
Reminder: Per NMH Policy, after receiving any	amount of sedation.	you MUST have a responsib				

without an escort.

adult accompany you home after your procedure. You will not be discharged for any reason

- If the admitting staff cannot verify your ride home, your procedure will be cancelled.
- You may not walk or take a cab/Uber/CTA home.
- You may not leave the GI Lab unaccompanied for any other appointments you have within NMH.

If your home is within the set service area of Superior Ambulance Company, you may make arrangements for them to take you home for an additional fee (contact Superior for pricing). If you would like to arrange this service, please call 312.926.5988 to make arrangements. Payment will be required at the time of service.

Do you take? YES NO YES NO Sleeping or Anti-anxiety Prescribed Anticoagulants, Blood Thinners Medications, Sedatives Last Dose Taken (Date ______ Time _____) Aspirin or Non-steroidal Insulin or pills to control your blood sugar **Anti-inflammatory Drugs** Past/Present History: YES NO Are you currently experiencing pain? _____ Is your pain chronic? ______ Location _____ Please rate your pain – 0 (no pain) to 10 (worst pain) _____ Have you or has anyone in your family ever had reactions to the medications given to you during any procedures or surgery? Please describe _____ Allergies (such as drug, food, latex): Please list Have you experienced a fall in the last 12 months? Please describe Have you ever fainted, felt dizzy or nauseous after having your blood drawn or an IV started? Diabetes: If yes, do you take insulin or pills? Did you take your blood sugar level the day of your procedure? Time taken and results High blood pressure: Is your blood pressure controlled by medication? Do you take antibiotics prior to medical or dental procedures? Antibiotic and dose Heart problems ___ П Heart pacemaker, implanted cardiac defibrillator_______ Lung disease: (such as Asthma, Emphysema) Sleep apnea Cancer – Location Kidney disease Neurological problems: (such as seizures) Gastrointestinal disease or symptoms: (such as reflux, Crohn's Disease, ulcerative colitis) Liver disease: (such as cirrhosis, hepatitis) ☐ Glaucoma ☐ I smoke/use tobacco products. If NO: Do you have a history of use? (circle one) YES / NO If YES or HISTORY: Amount per day ______ For how many years _____ Alcohol/substance use: How much per day? ______ Last drink _____ ☐ Have you had a hysterectomy? _____ For women ages 12–50, when was the first day of your last menstrual period? Are you pregnant or trying to become pregnant? Is there a possibility that you might be pregnant? Other (such as arthritis, blood disorders, HIV, infectious diseases, breast feeding) ☐ Do you follow a special diet for medical reasons? (For example, gluten-free) Please list your surgeries ______ Patient ______ Date ______ Time______ Signature_ Signature of Admitting Nurse ______ Date _____ Time _____

Physician Signature _____ Date ____ Time___

Reviewed by

M Northwestern Medicine®

Northwestern Memorial Hospital

420610 (06/14)

GI LABORATORY At-Home Medications List

	At-Holl	ie ivieur	cations Lis						
Dear Patient, Please complete the Allerg If you have questions about									
ALLERGIES: None (check	ck the box	if you do	not have an	y aller	gies) [Date			
Source	Reaction				Source		Reaction		
Example: Penicillin	Hives				3.				
1.					4.				
2.					5.				
MEDICATIONS: ☐ None (check the	box if you	ı do not take	any n	nedications, vita	mins, herba	als, etc.)		
DRUG List the name and strength of the medications you are taking. Include all over-the-counter medicines, vitamins, herbals, minerals, and those you may have held for today's visit.		How many capsules, a	E FORM tablets, units, are you taking ne time?	FREQUENCY How often do you take the medication? (Once a day, twice a day, etc.)		ROUTE How are you taking this medication? (By mouth, injection, patch, etc.)		LAST DOSE TAKEN Indicate the date and time you last took the medication.	
Example: Cardizem (CD	1 c	apsule		Once a day	By mouth		9 pm last night	
D .: ./ C: .				I	C: ((C: .			1	
Patient's Signature					Staff Signatu				
			Do not write be	low this	line – Hospital Staff	ONLY			
INSTRUCTIONS: Staff: Provide the patient the at-home regimen duri was made. After completing photocopy to the patient, Medication instruct Patient: START/RE-START	ng this vis ng the pat check the tions were	it. You ma ient instru box belo e reviewe	y also provious and provious portions portions w, and file the parties of the par	de a plon belse origation de la place de l	notocopy if <i>any</i> i ow, instruct the inal in the patie	medication patient reg nt's medica	addition, ch arding chan I record.	nange, or discontinuation nges, provide the	
Condition Medication is	At	this	How often	n:	Route:	Start tak	ing this	Date, if any, you should stop	
prescribed for:	Dose/Dose Form:		(Frequency)		Medicat	_	taking this medication:		
						/	/		
						/	/		
						/	/		
						/	//		
Patient: STOP taking this				doso	form fraguency	·)·			
STOP taking this medication		_	_			//·			
You should stop taking it o									
Additional Comments:									

420610